

### Datasheet T801

### Articlenumber 1002225

Halfbridge Block Gauge with 73.75 mm/Vmm sensitivity and  $\pm 1$  mm measuring stroke, Pretravel adjustable. Cable 2 m, cable exit axial.



#### Total Stroke, Measuring stroke, Pretravel, Pretravel default setting, Bearing, Lifetime, Tip rotation, Temperatur range, Mounting position, Tips, Plug, Cable feature, Cable

Total Stroke	6.0 mm
Measuring stroke	± 1.0 mm
Pretravel	adjustable
Pretravel default setting	- 1.2 mm
Bearing	Ball bearing, no side-play
Lifetime	> 10 Mio. Cycles
Tip rotation	1° over full stroke
Temperatur range	-10 to +65 °C, storage and operation
Mounting position	any
Tips	can be mounted
Plug	5 pin, 240°
Cable feature	PUR shielded, Length 2 m
Cable information	Outer- $\phi$ 4.0 mm, drag chain compatible

### Advance, Spring rate, Spring rate information, Spring rate optional, Optional pneumatic retraction and feed

Advance	spring push
Spring rate	1.0 N
Spring rate information	at electrical zero, tolerance ± 15%
Spring rate optional	0.4 N / 0.63 N / 1.6 N / 2.0 N / 2.5 N / 4.0 N
Optional pneumatic retraction and feed	Pneumatic cylinder assembly T800/88000



sales@imeasure.co.uk +44 (0) 1243 942010



## Datasheet T801

Articlenumber 1002225



Repeatability, Linearity error	
Repeatability	0.01 µm
Linearity error	0.25% FS (full-scale) ± 1000 µm range (at 20 °C ± 1°C)

Sensitivity, Setting, Amplifier input load, Drive frequency, Supply voltage, Coil scheme		
Sensitivity	73.75 mV/(Vmm)	
Setting	1:1	
Amplifier input load	2 kOhm Input resistance, ± 0.1%	
Drive frequency	13.0 kHz ±5%	
Supply voltage	3.0 V ±0.5%RMS	
Coil scheme	Halfbridge, TESA® compatible	

Documents information	
Documents information	All drawings and 3D models are shown in "electrical zero" position.



# **Precision through Innovation**

@IMTmetrology



#### **Innovative Measurement Technology Ltd**

Unit 3E Vinnetrow Business Park Vinnetrow Road, Chichester West Sussex PO20 1QH United Kingdom E-mail: sales@imeasure.co.uk E-mail: support@imeasure.co.uk Tel: +44 (0) 1243 942010

#### www.innovative-measurement-technology.co.uk

The contents of this literature are as of January 2023. Innovative Measurement Technology reserves the right to change product specifications without prior notice.

